

深沟球轴承 Deep Groove Ball Bearings

| Bearing No. | 外形尺寸 (毫米/英寸) Dimensions(mm/in.) | | | | 重量 Weight(kg) |
|-----------------|---------------------------------|-----|----|----|------------------|
| | d | D | B | B1 | |
| 公制6000系列 | | | | | |
| 6000 | 10 | 26 | 8 | | 0.018 |
| 6001 | 12 | 28 | 8 | | 0.022 |
| 6002 | 15 | 32 | 9 | | 0.031 |
| 6003 | 17 | 35 | 10 | | 0.041 |
| 6004 | 20 | 42 | 12 | | 0.068 |
| 6005 | 25 | 47 | 12 | | 0.079 |
| 6006 | 30 | 55 | 13 | | 0.116 |
| 6007 | 35 | 62 | 14 | | 0.151 |
| 6008 | 40 | 68 | 15 | | 0.19 |
| 6009 | 45 | 75 | 16 | | 0.241 |
| 6010 | 50 | 80 | 16 | | 0.261 |
| 6011 | 55 | 90 | 18 | | 0.381 |
| 6012 | 60 | 95 | 18 | | 0.412 |
| 6013 | 65 | 100 | 18 | | 0.439 |
| 6014 | 70 | 110 | 20 | | 0.608 |
| 6015 | 75 | 115 | 20 | | 0.649 |
| 6016 | 80 | 125 | 22 | | 0.872 |
| 6017 | 85 | 130 | 22 | | 0.918 |
| 6018 | 90 | 140 | 24 | | 1.19 |
| 6019 | 95 | 145 | 24 | | 1.23 |
| 6020 | 100 | 150 | 24 | | 1.29 |
| 6021 | 105 | 160 | 26 | | 1.58 |
| 6022 | 110 | 170 | 28 | | 1.94 |
| 6024 | 120 | 180 | 28 | | 2.08 |
| 6026 | 130 | 200 | 33 | | 3.26 |
| 6028 | 140 | 210 | 33 | | 3.48 |
| 6030 | 150 | 225 | 35 | | 4.24 |
| 公制6200系列 | | | | | |
| 6200 | 10 | 30 | 9 | | 0.032 |
| 6201 | 12 | 32 | 10 | | 0.037 |
| 6202 | 15 | 35 | 11 | | 0.045 |
| 6203 | 17 | 40 | 12 | | 0.067 |
| 6204 | 20 | 47 | 14 | | 0.107 |
| 6205 | 25 | 52 | 15 | | 0.129 |
| 6206 | 30 | 62 | 16 | | 0.199 |
| 6207 | 35 | 72 | 17 | | 0.284 |
| 6208 | 40 | 80 | 18 | | 0.366 |
| 6209 | 45 | 85 | 19 | | 0.42 |

| | | | | | |
|-----------------|-----|-----|----|--|-------|
| 6210 | 50 | 90 | 20 | | 0.459 |
| 6211 | 55 | 100 | 21 | | 0.619 |
| 6212 | 60 | 110 | 22 | | 0.783 |
| 6213 | 65 | 120 | 23 | | 1 |
| 6214 | 70 | 125 | 24 | | 1.09 |
| 6215 | 75 | 130 | 25 | | 1.19 |
| 6216 | 80 | 140 | 26 | | 1.42 |
| 6217 | 85 | 150 | 28 | | 1.76 |
| 6218 | 90 | 160 | 30 | | 2.18 |
| 6219 | 95 | 170 | 32 | | 2.64 |
| 6220 | 100 | 180 | 34 | | 3.17 |
| 6221 | 105 | 190 | 36 | | 3.79 |
| 6222 | 110 | 200 | 38 | | 4.45 |
| 6224 | 120 | 215 | 40 | | 5.29 |
| 6226 | 130 | 230 | 40 | | 5.96 |
| 6228 | 140 | 250 | 42 | | 7.68 |
| 6230 | 150 | 270 | 45 | | 10 |
| 公制6300系列 | | | | | |
| 6300 | 10 | 35 | 11 | | 0.052 |
| 6301 | 12 | 37 | 12 | | 0.06 |
| 6302 | 15 | 42 | 13 | | 0.083 |
| 6303 | 17 | 47 | 14 | | 0.113 |
| 6304 | 20 | 52 | 15 | | 0.145 |
| 6305 | 25 | 62 | 17 | | 0.235 |
| 6306 | 30 | 72 | 19 | | 0.345 |
| 6307 | 35 | 80 | 21 | | 0.464 |
| 6308 | 40 | 90 | 23 | | 0.636 |
| 6309 | 45 | 100 | 25 | | 0.829 |
| 6310 | 50 | 110 | 27 | | 1.06 |
| 6311 | 55 | 120 | 29 | | 1.37 |
| 6312 | 60 | 130 | 31 | | 1.72 |
| 6313 | 65 | 140 | 33 | | 2.11 |
| 6314 | 70 | 150 | 35 | | 2.57 |
| 6315 | 75 | 160 | 37 | | 3.08 |
| 6316 | 80 | 170 | 39 | | 3.67 |
| 6317 | 85 | 180 | 41 | | 4.28 |
| 6318 | 90 | 190 | 43 | | 4.98 |
| 6319 | 95 | 200 | 45 | | 5.76 |
| 6320 | 100 | 215 | 47 | | 7.04 |
| 6321 | 105 | 225 | 49 | | 8.09 |
| 6322 | 110 | 240 | 50 | | 9.51 |
| 6324 | 120 | 260 | 55 | | 12.5 |
| 6326 | 130 | 280 | 58 | | 15.2 |

| | | | | | |
|-----------------|-----------|-----------|---------|---------|--------|
| 6328 | 140 | 300 | 62 | | 18.5 |
| 6330 | 150 | 320 | 65 | | 22.7 |
| 公制6400系列 | | | | | |
| 6403 | 17 | 62 | 17 | | 0.27 |
| 6404 | 20 | 72 | 19 | | 0.4 |
| 6405 | 25 | 62 | 17 | | 0.53 |
| 6406 | 30 | 90 | 23 | | 0.74 |
| 6407 | 35 | 100 | 25 | | 0.95 |
| 6408 | 40 | 110 | 27 | | 1.25 |
| 6409 | 45 | 120 | 29 | | 1.55 |
| 6410 | 50 | 130 | 31 | | 1.9 |
| 6411 | 55 | 140 | 33 | | 2.3 |
| 6412 | 60 | 150 | 35 | | 2.75 |
| 6413 | 65 | 160 | 37 | | 3.3 |
| 6414 | 70 | 180 | 42 | | 4.85 |
| 6415 | 75 | 190 | 45 | | 6.8 |
| 6416 | 80 | 200 | 48 | | 8 |
| 6417 | 85 | 210 | 52 | | 9.5 |
| 6418 | 90 | 225 | 54 | | 11.5 |
| 6420 | 100 | 250 | 58 | | 13.5 |
| 6700系列 | | | | | |
| 6700 | 10/.3937 | 15/.5906 | 4/.1181 | 4/.1181 | |
| 6701 | 12/.4724 | 18/.7087 | 4/.1575 | 4/.1575 | |
| 6702 | 15/.5906 | 21/.8268 | 4/.1575 | 4/.1575 | |
| 6703 | 17/.6693 | 23/.9055 | 4/.1575 | 4/.1575 | |
| 6704 | 20/.7874 | 27/1.0630 | 4/.1575 | 4/.1575 | |
| 6705 | 25/.9843 | 32/1.2598 | 4/.1575 | 4/.1575 | |
| 6706 | 30/1.1811 | 37/1.4567 | 4/.1575 | 4/.1575 | |
| 6707 | 35/1.3780 | 44/1.7323 | 5/.1969 | 5/.1969 | |
| 公制6800系列 | | | | | |
| 6800 | 10 | 19 | 5 | | 0.0055 |
| 6801 | 12 | 21 | 5 | | 0.0063 |
| 6802 | 15 | 24 | 5 | | 0.0074 |
| 6803 | 17 | 26 | 5 | | 0.0082 |
| 6804 | 20 | 32 | 7 | | 0.018 |
| 6805 | 25 | 37 | 7 | | 0.022 |
| 6806 | 30 | 42 | 7 | | 0.027 |
| 6807 | 35 | 47 | 7 | | 0.03 |
| 6808 | 40 | 52 | 7 | | 0.034 |
| 6809 | 45 | 58 | 7 | | 0.04 |
| 6810 | 50 | 65 | 7 | | 0.052 |
| 6811 | 55 | 72 | 9 | | 0.083 |
| 6812 | 60 | 78 | 10 | | 0.11 |

| | | | | | |
|-----------------|-----|-----|-----|--|--------|
| 6813 | 65 | 85 | 10 | | 0.13 |
| 6814 | 70 | 90 | 10 | | 0.14 |
| 6815 | 75 | 95 | 10 | | 0.15 |
| 6816 | 80 | 100 | 10 | | 0.15 |
| 6817 | 85 | 110 | 13 | | 0.27 |
| 6818 | 90 | 115 | 13 | | 0.28 |
| 6819 | 95 | 120 | 13 | | 0.3 |
| 6820 | 100 | 125 | 13 | | 0.31 |
| 6822 | 110 | 140 | 16 | | 0.6 |
| 6824 | 120 | 150 | 16 | | 0.65 |
| 6826 | 130 | 165 | 16 | | 0.93 |
| 6828 | 140 | 175 | 18 | | 0.99 |
| 6830 | 150 | 190 | 20 | | 1.4 |
| 公制6900系列 | | | | | |
| 6900 | 10 | 22 | 6 | | 0.01 |
| 6901 | 12 | 24 | 6 | | 0.0063 |
| 6902 | 15 | 28 | 7 | | 0.016 |
| 6903 | 17 | 30 | 7 | | 0.018 |
| 6904 | 20 | 37 | 9 | | 0.037 |
| 6905 | 25 | 42 | 9 | | 0.045 |
| 6906 | 30 | 47 | 9 | | 0.051 |
| 6907 | 35 | 55 | 10 | | 0.08 |
| 6908 | 40 | 62 | 12 | | 0.12 |
| 6909 | 45 | 68 | 12 | | 0.14 |
| 6910 | 50 | 72 | 12 | | 0.14 |
| 6911 | 55 | 80 | 13 | | 0.19 |
| 6912 | 60 | 85 | 13 | | 0.2 |
| 6913 | 65 | 90 | 13 | | 0.22 |
| 6914 | 70 | 100 | 16 | | 0.35 |
| 6915 | 75 | 105 | 16 | | 0.37 |
| 6916 | 80 | 110 | 16 | | 0.4 |
| 6917 | 85 | 120 | 18 | | 0.55 |
| 6918 | 90 | 125 | 18 | | 0.59 |
| 6919 | 95 | 130 | 18 | | 0.61 |
| 6920 | 100 | 140 | 20 | | 0.83 |
| 6922 | 110 | 150 | 20 | | 0.9 |
| 6924 | 120 | 165 | 22 | | 1.2 |
| 6926 | 130 | 180 | 24 | | 1.6 |
| 6928 | 140 | 190 | 24 | | 1.7 |
| 6930 | 150 | 210 | 28 | | 3.05 |
| 公制MF系列 | | | | | |
| MF41× | 1.2 | 4 | 1.8 | | |

| | | | | | |
|---------------|-----|----|-----|-----|--|
| MF52 | 2 | 5 | 2 | 2.5 | |
| MF62 | 2 | 6 | 2.5 | 3 | |
| MF72 | 2 | 7 | 2.5 | 3 | |
| MF82× | 2.5 | 8 | 2.5 | | |
| MF63 | 3 | 6 | 2 | 2.5 | |
| MF83 | 3 | 8 | 2.5 | | |
| MF93 | 3 | 9 | 2.5 | 4 | |
| MF74 | 4 | 7 | 2 | 2.5 | |
| MF84 | 4 | 8 | 2 | 3 | |
| MF104 | 4 | 10 | 3 | 4 | |
| MF85 | 5 | 8 | 2 | | |
| MF95 | 5 | 9 | 2.5 | 3 | |
| MF105 | 5 | 10 | 3 | 4 | |
| MF115 | 5 | 11 | | 4 | |
| MF106 | 6 | 10 | 2.5 | 3 | |
| MF126 | 6 | 12 | 3 | 4 | |
| MF117 | 7 | 11 | 2.5 | 3 | |
| MF137 | 7 | 13 | 3 | 4 | |
| MF128 | 8 | 12 | 2.5 | 3.5 | |
| MF148 | 8 | 14 | 3.5 | 4 | |
| 公制MR系列 | | | | | |
| MR31 | 1 | 3 | 1.5 | | |
| MR41× | 1.2 | 4 | 1.8 | 2.5 | |
| MR52 | 2 | 5 | 2 | 2.5 | |
| MR62 | 2 | 6 | 2.5 | 2.5 | |
| MR72 | 2 | 7 | 2.5 | 3 | |
| MR82× | 2.5 | 8 | 2.5 | | |
| MR63 | 3 | 6 | 2 | 2.5 | |
| MR83 | 3 | 8 | 2.5 | 3 | |
| MR93 | 3 | 9 | 2.5 | 4 | |
| MR74 | 4 | 7 | 2 | 2.5 | |
| MR84 | 4 | 8 | 2 | 3 | |
| MR104 | 4 | 10 | 3 | 4 | |
| MR85 | 5 | 8 | 2 | 2.5 | |
| MR95 | 5 | 9 | 2.5 | 3 | |
| MR105 | 5 | 10 | 3 | 4 | |
| MR115 | 5 | 11 | | 4 | |
| MR106 | 6 | 10 | 2.5 | 3 | |
| MR126 | 6 | 12 | 3 | 4 | |
| MR117 | 7 | 11 | 2.5 | 3 | |
| MR137 | 7 | 13 | 3 | 4 | |
| MR128 | 8 | 12 | 2.5 | 3.5 | |
| MR148 | 8 | 14 | 3.5 | 4 | |



| 1600系列 | | | | | | |
|--------|--------------|--------------|--------------|--------------|-------|--|
| 1601 | 4.762/.1875 | 17.462/.6875 | 6.35/.25 | 7.938/.3125 | 0.007 | |
| 1602 | 6.35/.25 | 17.462/.6875 | 6.35/.25 | 7.938/.3125 | 0.008 | |
| 1603 | 7.938/.3125 | 22.225/.875 | 7.144/.2813 | 8.731/.3437 | 0.016 | |
| 1604 | 9.525/.375 | 22.225/.875 | 7.144/.2813 | 8.731/.3437 | 0.014 | |
| 1605 | 7.938/.3125 | 23.019/.9063 | 7.938/.3125 | 7.938/.3125 | 0.018 | |
| 1606 | 9.525/.375 | 23.019/.9063 | 7.938/.3125 | 7.938/.3125 | 0.016 | |
| 1607 | 11.112/.4375 | 23.019/.9063 | 7.938/.3125 | 7.938/.3125 | 0.014 | |
| 1614 | 9.525/.375 | 28.575/1.125 | 9.525/.375 | 9.525/.375 | | |
| 1615 | 11.112/.4375 | 28.575/1.125 | 9.525/.375 | 9.525/.375 | 0.027 | |
| 1616 | 12.7/.5 | 28.575/1.125 | 9.525/.375 | 9.525/.375 | 0.025 | |
| 1619 | 9.525 | 34.925 | 11.113 | 11.113 | 0.052 | |
| 1620 | 11.112/.4375 | 34.925/1.375 | 11.112/.4375 | 11.112/.4375 | 0.053 | |
| 1621 | 12.7/.5 | 34.925/1.375 | 11.112/.4375 | 11.112/.4375 | | |
| 1622 | 14.288/.5625 | 34.925/1.375 | 11.112/.4375 | 11.112/.4375 | 0.046 | |
| 1623 | 15.875/.625 | 34.925/1.375 | 11.112/.4375 | 11.112/.4375 | 0.043 | |
| 1628 | 15.875/.625 | 41.275/1.625 | 12.7/.5 | 12.7/.5 | 0.078 | |
| 1630 | 19.05/.75 | 41.275/1.625 | 12.7/.5 | 12.7/.5 | 0.092 | |
| 1633 | 15.875/.625 | 44.45/1.75 | 12.7/.5 | 12.7/.5 | 0.065 | |
| 1635 | 19.05/.75 | 44.45/1.75 | 12.7/.5 | 12.7/.5 | 0.085 | |
| 1638 | 19.05/.75 | 50.8/2 | 14.288/.5625 | 14.288/.5625 | 0.115 | |
| 1640 | 22.225/.875 | 50.8/2 | 14.288/.5625 | 14.288/.5625 | 0.121 | |
| 1641 | 25.4/1 | 50.8/2 | 14.288/.5625 | 14.288/.5625 | 0.105 | |
| 1652 | 28.575 | 63.5 | 15.875 | 15.875 | 0.21 | |
| 1654 | 31.75 | 63.5 | 15.875 | 15.875 | 0.19 | |
| 1657 | 31.75 | 65.87 | 17.462 | 17.462 | | |
| 1658 | 33.337 | 65.87 | 17.462 | 17.462 | | |
| 6200系列 | | | | | | |
| 62200 | 10 | 30 | 14 | | 0.044 | |
| 62201 | 12 | 32 | 14 | | 0.053 | |
| 62202 | 15 | 35 | 14 | | 0.065 | |
| 62203 | 17 | 40 | 16 | | 0.096 | |
| 62204 | 20 | 47 | 18 | | 0.15 | |
| 62205 | 25 | 52 | 18 | | 0.178 | |
| 62206 | 30 | 62 | 20 | | 0.215 | |
| 62207 | 35 | 72 | 23 | | 0.31 | |
| 62208 | 40 | 80 | 23 | | 0.406 | |
| 62209 | 45 | 85 | 23 | | 0.455 | |
| 62210 | 50 | 90 | 23 | | 0.496 | |
| 62211 | 55 | 100 | 25 | | 0.81 | |
| 62212 | 60 | 110 | 28 | | 1.03 | |
| 62213 | 65 | 120 | 31 | | | |

| | | | | | |
|----------------|-----|-----|----|--|--------|
| 62214 | 70 | 125 | 31 | | |
| 62215 | 75 | 130 | 31 | | |
| 62216 | 80 | 140 | 33 | | |
| 62217 | 85 | 150 | 36 | | |
| 62218 | 90 | 160 | 40 | | |
| 62219 | 95 | 170 | 43 | | |
| 62220 | 100 | 180 | 46 | | |
| 62300 | 10 | 35 | 17 | | 0.073 |
| 62301 | 12 | 37 | 17 | | 0.0814 |
| 62302 | 15 | 42 | 17 | | 0.105 |
| 62303 | 17 | 47 | 19 | | 0.146 |
| 62304 | 20 | 52 | 21 | | 0.195 |
| 62305 | 25 | 62 | 24 | | 0.306 |
| 62306 | 30 | 72 | 27 | | 0.478 |
| 62307 | 35 | 80 | 31 | | 0.647 |
| 62308 | 40 | 90 | 33 | | 0.885 |
| 62309 | 45 | 100 | 36 | | 1.156 |
| 62310 | 50 | 110 | 40 | | 1.498 |
| 62311 | 55 | 120 | 43 | | 1.918 |
| 62312 | 60 | 130 | 46 | | 2.422 |
| 62313 | 65 | 140 | 48 | | |
| 62314 | 70 | 150 | 51 | | |
| 62315 | 75 | 160 | 55 | | |
| 62316 | 80 | 170 | 58 | | |
| 62317 | 85 | 180 | 60 | | |
| 62318 | 90 | 190 | 64 | | |
| 62319 | 95 | 200 | 67 | | |
| 16000系列 | | | | | |
| 16001 | 12 | 28 | 7 | | 0.019 |
| 16002 | 15 | 32 | 8 | | 0.025 |
| 16003 | 17 | 35 | 8 | | 0.032 |
| 16004 | 20 | 42 | 8 | | 0.051 |
| 16005 | 25 | 47 | 8 | | 0.059 |
| 16006 | 30 | 55 | 9 | | 0.091 |
| 16007 | 35 | 62 | 9 | | 0.107 |
| 16008 | 40 | 68 | 9 | | 0.125 |
| 16009 | 45 | 68 | 10 | | 0.171 |
| 16010 | 50 | 80 | 10 | | 0.18 |
| 16011 | 55 | 90 | 11 | | 0.258 |
| 16012 | 60 | 95 | 11 | | 0.283 |
| 16013 | 65 | 100 | 11 | | 0.307 |
| 16014 | 70 | 110 | 13 | | 0.441 |
| 16015 | 75 | 115 | 13 | | 0.464 |



| | | | | | | | |
|---------------|----|-----|-----|-----|-----|-----|-------|
| 16016 | | | 80 | 125 | 14 | | 0.597 |
| 16017 | | | 85 | 130 | 14 | | 0.626 |
| 16018 | | | 90 | 140 | 16 | | 0.848 |
| 16019 | | | 95 | 145 | 16 | | 0.885 |
| 16020 | | | 100 | 150 | 16 | | 0.91 |
| 公制超薄系列 | | | | | | | |
| F 6700 | ZZ | 2RS | 10 | 15 | 3 | 4 | |
| F 63800 | ZZ | 2RS | 10 | 19 | 7 | 7 | |
| F 6800W | ZZ | 2RS | 10 | 19 | 4 | 4 | |
| F 6900W | ZZ | 2RS | 10 | 22 | 5 | 5 | |
| F 6701 | ZZ | 2RS | 12 | 18 | 4 | 4 | |
| F 63801 | ZZ | 2RS | 12 | 21 | 7 | 7 | |
| F 6801W | ZZ | 2RS | 12 | 21 | 4 | 4 | |
| F 6901W | ZZ | 2RS | 12 | 24 | 5 | 5 | |
| F 6702 | ZZ | 2RS | 15 | 21 | 4 | 4 | |
| F 63802 | ZZ | 2RS | 15 | 24 | 7 | 7 | |
| F 6802W | ZZ | 2RS | 15 | 24 | 4 | 4 | |
| F 6902W | ZZ | 2RS | 15 | 28 | 5 | 5 | |
| F 6703 | ZZ | 2RS | 17 | 23 | 4 | 4 | |
| F 63803 | ZZ | 2RS | 17 | 26 | 7 | 7 | |
| F 6803W | ZZ | 2RS | 17 | 26 | 4 | 4 | |
| F 6903W | ZZ | 2RS | 17 | 30 | 5 | 5 | |
| F 6704 | ZZ | 2RS | 20 | 27 | 4 | 4 | |
| F 63804 | ZZ | 2RS | 20 | 32 | 10 | 10 | |
| F 6804W | ZZ | 2RS | 20 | 32 | 4 | 4 | |
| F 6904W | ZZ | 2RS | 20 | 37 | 7 | 7 | |
| F 6705 | | 2RS | 25 | 32 | 4 | 4 | |
| F 63805 | ZZ | 2RS | 25 | 37 | 10 | 10 | |
| F 6805W | | 2RS | 25 | 37 | 4 | 4 | |
| F 6905W | ZZ | 2RS | 25 | 42 | 7 | 7 | |
| F 6706 | | 2RS | 30 | 37 | 4 | 4 | |
| F 63806 | ZZ | 2RS | 30 | 42 | 10 | 10 | |
| F 6806W | | 2RS | 30 | 42 | 4 | 4 | |
| F 6906W | ZZ | 2RS | 30 | 47 | 7 | 7 | |
| 公制微型系列 | | | | | | | |
| F 681 | | | 1 | 3 | 1 | | |
| F 691 | | | 1 | 4 | 1.6 | | |
| F 681× | | | 1.5 | 4 | 1.2 | 2 | |
| F 691× | | | 1.5 | 5 | | | |
| F 601× | | | 1.5 | 6 | 2.5 | 3 | |
| F 682 | | | 2 | 5 | 1.5 | 2.3 | |
| F 692 | | | 2 | 6 | 2.3 | 3 | |



| | | | | | |
|--------------------------------|--------|--------|--------|--------|--------|
| F 602 | 2 | 7 | 2.8 | 3.5 | |
| F 682× | 2.5 | 6 | 1.8 | 2.6 | |
| F 692× | 2.5 | 7 | 2.5 | 3.5 | |
| F 602× | 2.5 | 8 | 2.8 | 4 | |
| F 683 | 3 | 7 | 2 | 3 | |
| F 693 | 3 | 8 | 3 | 4 | |
| F 603 | 3 | 9 | 3 | 5 | 0.0009 |
| F 623 | 3 | 10 | 4 | 4 | 0.002 |
| 633 | 3 | 13 | 5 | 5 | |
| F 684 | 4 | 9 | 2.5 | 4 | |
| F 694 | 4 | 11 | 4 | 4 | 0.0015 |
| F 604 | 4 | 12 | 4 | 4 | 0.004 |
| F 624 | 4 | 13 | 5 | 5 | 0.003 |
| F 634 | 4 | 16 | 5 | 5 | |
| F 685 | 5 | 11 | 3 | 5 | 0.0012 |
| F 695 | 5 | 13 | 4 | 4 | 0.0025 |
| F 605 | 5 | 14 | 5 | 5 | 0.0045 |
| F 625 | 5 | 16 | 5 | 5 | 0.005 |
| F 635 | 5 | 19 | 6 | 6 | |
| F 686 | 6 | 13 | 3.5 | 5 | 0.002 |
| F 696 | 6 | 15 | 5 | 5 | 0.0038 |
| F 606 | 6 | 17 | 6 | 6 | 0.0057 |
| F 626 | 6 | 19 | 6 | 6 | 0.008 |
| 636 | 6 | 22 | 7 | 7 | |
| F 687 | 7 | 14 | 3.5 | 5 | 0.0022 |
| F 697 | 7 | 17 | 5 | 5 | 0.0057 |
| F 607 | 7 | 19 | 6 | 6 | 0.073 |
| F 627 | 7 | 22 | 7 | 7 | 0.014 |
| F 637 | 7 | 26 | 9 | 9 | |
| F 688 | 8 | 16 | 4 | 5 | 0.003 |
| F 698 | 8 | 19 | 6 | 6 | 0.0068 |
| F 608 | 8 | 22 | 7 | 7 | 0.12 |
| 628 | 8 | 24 | 8 | 8 | 0.016 |
| 638 | 8 | 28 | 9 | 9 | |
| F 689 | 9 | 17 | 4 | 5 | 0.0034 |
| F 699 | 9 | 20 | 6 | 6 | 0.0073 |
| F 609 | 9 | 24 | 7 | 7 | 0.016 |
| 629 | 9 | 26 | 8 | 8 | 0.02 |
| 639 | 9 | 30 | 10 | 10 | |
| 尺寸为英制： Dimensions (in.) | | | | | |
| R09 | 0.04 | 0.125 | 0.0469 | | |
| F R0 | 0.0469 | 0.1562 | 0.0625 | 0.0938 | |
| F R1 | 0.055 | 0.1875 | 0.0781 | 0.031 | |

| | | | | | | | |
|------------|-------|----------|--------|--------------|--------|--------|-------|
| F | R1-4 | | 0.0781 | 0.25 | 0.0938 | 0.1406 | |
| F | R133 | | 0.0938 | 0.1875 | 0.0625 | 0.0938 | |
| F | R1-5 | | 0.0938 | 0.3125 | 0.1094 | 0.1406 | |
| F | R144 | | 0.125 | 0.25 | 0.0938 | 0.1094 | |
| F | R2-5 | | 0.125 | 0.3125 | 0.1094 | 0.1406 | |
| F | R2-6 | | 0.125 | 0.375 | 0.1094 | 0.1406 | |
| F | R2 | | 0.125 | 0.375 | 0.1562 | 0.1562 | |
| | R2A | | 0.125 | 0.5 | 0.1719 | 0.1719 | |
| F | R155 | | 0.1562 | 0.3125 | 0.1094 | 0.125 | |
| F | R156 | | 0.1875 | 0.3125 | 0.1094 | 0.125 | |
| F | R166 | | 0.1875 | 0.375 | 0.125 | 0.125 | |
| | R3 | | 0.1875 | 0.5 | 0.1562 | 0.196 | |
| | FR3 | | 0.1875 | 0.5 | 0.196 | 0.196 | |
| | R3A | | 0.1875 | 0.625 | 0.196 | 0.196 | |
| F | R168 | | 0.25 | 0.375 | 0.125 | 0.125 | |
| F | R188 | | 0.25 | 0.5 | 0.125 | 0.1875 | |
| F | R4 | | 0.25 | 0.625 | 0.196 | 0.196 | |
| | R4A | | 0.25 | 0.75 | 0.2188 | 0.2812 | |
| F | R1810 | | 0.3125 | 0.5 | 0.1562 | 0.1562 | |
| F | R6 | | 0.375 | 0.875 | 0.2188 | 0.2812 | |
| F | R8 | | 0.5 | 1.125 | 0.25 | 0.3125 | |
| | R10 | | 0.625 | 1.375 | 0.2812 | 0.3438 | |
| | R12 | | 0.75 | 1.625 | 0.3125 | 0.4375 | |
| | R1038 | | 0.375 | 0.625 | | 0.1562 | |
| | R14 | | 0.875 | 1.875 | 0.375 | 0.5 | |
| | R16 | | 1 | 2 | 0.375 | 0.5 | |
| 双列球 | | | | | | | |
| | 4200 | 4200-2RS | 10 | 30 | 14 | | 0.049 |
| | 4300 | 4300-2RS | | 35 | 17 | | 0.091 |
| | 4201 | 4201-2RS | 12 | 32 | 14 | | 0.053 |
| | 4301 | 4301-2RS | | 37 | 17 | | 0.092 |
| | 4202 | 4202-2RS | 15 | 35 | 14 | | 0.059 |
| | 4302 | 4302-2RS | | 42 | 17 | | 0.12 |
| | 4203 | 4203-2RS | 17 | 40 | 16 | | 0.9 |
| | 4303 | 4303-2RS | | 47 | 19 | | 0.16 |
| | 4204 | 4204-2RS | 20 | 47 | 18 | | 0.14 |
| | 4304 | 4304-2RS | | 52 | 21 | | 0.21 |
| | 4205 | 4205-2RS | 25 | 52 | 18 | | 0.16 |
| | 4305 | 4305-2RS | | 62 | 24 | | 0.34 |
| | 4206 | 4206-2RS | 30 | 62 | 20 | | 0.26 |
| | 4306 | 4306-2RS | | 72 | 27 | | 0.5 |
| | 开式 | ZZ | 2RS | 公制mm / 英制in. | | | |

| | | | | | | | |
|-------|---------|--------------|----------------|----------------|----------------|--|-------|
| RLS-4 | RLS-4ZZ | RLS-4 2RS | 12.7 / 0.5 | 33.338 / 1.312 | 9.525 / 0.375 | | 0.035 |
| RMS-4 | RMS-4ZZ | RMS-4 2RS | | 41.275 / 1.625 | 15.875 / 0.625 | | 0.1 |
| RLS-5 | RLS-5ZZ | RLS-5 2RS | 15.875 / 0.625 | 39.668 / 1.562 | 11.112 / 0.437 | | 0.06 |
| RMS-5 | RMS-5ZZ | RMS-5 2RS | | 46.38 / 1.812 | 15.875 / 0.625 | | 0.11 |
| RLS-6 | RLS-6ZZ | RLS-6 2RS | 19.05 / 0.75 | 47.625 / 1.875 | 14.288 / 0.562 | | 0.117 |
| RMS-6 | RMS-6ZZ | RMS-6 2RS | | 50.8 / 2 | 17.462 / 0.687 | | 0.163 |
| RLS-7 | RLS-7ZZ | RLS-7 2RS | 22.225 / 0.875 | 50.8 / 2 | 14.288 / 0.562 | | 0.123 |
| RMS-7 | RMS-7ZZ | RMS-7 2RS | | 57.15 / 2.25 | 17.62 / 0.687 | | 0.204 |
| RLS-8 | RLS-8ZZ | RLS-8 2RS | 25.4 / 1 | 57.15 / 2.25 | 15.875 / 0.625 | | 0.178 |
| RMS-8 | RMS-8ZZ | RMS-8 2RS | | 63.5 / 2.5 | 19.05 / 0.75 | | 0.258 |
| RLS-9 | RLS-9ZZ | RLS-9 2RS | 28.575 / 1.125 | 63.5 / 2.5 | 15.875 / 0.625 | | 0.228 |
| RMS-9 | RMS-9ZZ | RMS-9 2RS | | 71.438 / 2.812 | 20.638 / 0.812 | | 0.39 |